

THE UNITED SHAMES OF AMERICA

TO ALL TO WHOM THESE; PRESENTS SHAME COME;

Pioneer Gi-Ored International, Inc.

Talkereas, there has been presented to the

Secretary of Agriculture

AN APPLICATION REQUESTING A CERTIFICATE OF PROTECTION FOR AN ALLEGED NOVEL VARIETY OF SEXUALLY REPRODUCED PLANT, THE NAME AND DESCRIPTION OF WHICH ARE CONTAINED IN THE APPLICATION AND EXHIBITS, A COPY OF WHICH IS HEREUNTO ANNEXED AND MADE A PART HEREOF, AND THE VARIOUS REQUIREMENTS OF LAW IN SUCH CASES MADE AND PROVIDED HAVE BEEN COMPLIED WITH, AND THE TITLE THERETO IS, FROM THE RECORDS OF THE PLANT VARIETY PROTECTION OFFICE, IN THE APPLICANT(S) INDICATED IN THE SAID COPY, AND WHEREAS, UPON DUE EXAMINATION MADE, THE SAID APPLICANT(S) IS (ARE) ADJUDGED TO BE ENTITLED TO A CERTIFICATE OF PLANT PROTECTION UNDER THE LAW.

NOW, THEREFORE, THIS CERTIFICATE OF PLANT VARIETY PROTECTION IS TO GRANT UNTO THE SAID APPLICANT(S) AND THE SUCCESSORS, HEIRS OR ASSIGNS OF THE SAID APPLICANT(S) FOR THE TERM OF eighteen YEARS FROM THE DATE OF THIS GRANT, SUBJECT TO THE PAYMENT OF THE REQUIRED FEES AND PERIODIC REPLENISHMENT OF VIABLE BASIC SEED OF THE VARIETY IN A PUBLIC REPOSITORY AS PROVIDED BY LAW, THE RIGHT TO EXCLUDE OTHERS FROM SELLING THE VARIETY, OR OFFERING IT FOR SALE, OR REPRODUCING IT, OR IMPORTING IT, OR EXPORTING IT, OR USING IT IN PRODUCING A HYBRID OR DIFFERENT RIETY THEREFROM, TO THE EXTENT PROVIDED BY THE PLANT VARIETY PROTECTION ACT TAT. 1542, AS AMENDED, 7 U.S.C. 2321 ET SEQ.)

SOYBEAN

'9501'

In Lestinony Wincrcot, I have hereunto set my hand and caused the seal of the Plant Variety Protection Office to be affixed at the City of Washington, D. C. this 31st day of January in the year of our Lord one thousand nine hundred and eighty-nine.

Kenneth Kerans Commissioner

Plant Variety Protection Office Agricultural Marketing Service

Secretary of Agriculture

		U.S. DEPARTMENT	OF AGRICULT	URE	FOR	M APPROVED: OMB NO. 0581-0055		
AGRICULTURAL MARKETING SERVICE					Application is required in order to determine if a plant variety protection certificate is to be issued (7 U.S.C. 2421). Information is			
	APPLICATION F		ETY PROTE is on reverse)	CTION CERTIFICATE	held	ued (7 U.S.C. 2421). Information is confidential until certificate is issued S.C. 2426).		
1. NA	ME OF APPLICANT(S)		2. TEMPORARY DESIGNATION	3. V	ARIETY NAME		
Ρi	oneer Hi-Bred	International	, Inc.			9501		
, 70	O Capital Squ		te, and Zip Code)	5. PHONE (Include area code)	PVP	FOR OFFICIAL USE ONLY NUMBER		
De	O Locust Stre s Moines, IA	50309		319-234-0335		8800166		
	nus and species na ycine Max	7. FAMILY NA Legumino	osae	FILING	TIME 1,1988			
8. KIN	ID NAME		9.	DATE OF DETERMINATION		s 180000		
Soy	/bean		DATE OF DETERMINATION October, 1982 January, 1986 (Incre OF ORGANIZATION (Corporation)	CE(Xeo	DATE Way 31,1988			
10, IF par	THE APPLICANT NAI rtnership, association, e	MED IS NOT A "PERSO	N," GIVE FORM	OF ORGANIZATION (Corporation	EES RE	\$ 200 00		
Cor	rporation					Nov. 18 1988		
II. IF	•	VE STATE OF INCORPO	PRATION		12. 0	DATE OF INCORPORATION 1926		
326 Wat 14. CH a. 123 c. 123 d 15. DO 16. DO	Exhibit A, Origin a Exhibit B, Novelty Exhibit C, Objectiv Exhibit D, Additio (Exhibit E, Stateme ES THE APPLICANT(S ED? (See Section 83(a)) ES THE APPLICANT(S AITED AS TO NUMBER	ne Highway 1703 BOX FOR EACH ATTAC and Breeding History of Statement. The Description of Variet and Description of Variet and Description of Variet and the Basis of Appli S SPECIFY THAT SEEL of the Plant Variety Pro S SPECIFY THAT THIS R OF GENERATIONS?	the Variety (See y (Request form ety. cant's Ownership OF THIS VARI tection Act.)	Des Moines, IA PHONE (Include ar Section 52 of the Plant Variety Pro from Plant Variety Protection Offi	E ONL' items 1 HED?	AS A CLASS OF CERTIFIED (5 and 17 below)		
19. HA	S THE VARIETY BEE	N RELEASED, OFFER	ED FOR SALE,	OR MARKETED IN THE U.S. OR	ОТНЕ	R COUNTRIES ? Yes (If "Yes," give names of countries and dates) No		
pler The dist Var	nished upon request undersigned applica inct, uniform, and st iety Protection Act.	in accordance with su int(s) is (are) the own able as required in Se	ch regulations a er(s) of this sex ction 41, and is	s of this variety will be furnished as may be applicable. ually reproduced novel plant var s entitled to protection under the n can jeopardize protection and	riety, a e provi	nd believe(s) that the variety is sions of Section 42 of the Plant		
	URE OF APPLICANT	· · · · · · · · · · · · · · · · · · ·			D	May 19, 1988		
SIGNAT	URE OF APPLICANT	The same of the sa			D,	ATE /		

Attachment: 9501 Soybean (May, 1988)

Exhibit A:

Variety 9501 evolved from a cross of [(Swift x Williams) sel x 3481] x [(Williams x GP9) sel x 4280]. It is an F4-derived variety which was advanced to the F4 generation by modified single-seed descent. The F5 progeny row was grown in Tennessee during the summer of 1982. Subsequently, 9501 has undergone four years of extensive testing and purification and has been observed by the breeder to be uniform and stable for all plant traits from generation to generation, with no evidence of variants.

Three acres of 9501 (breeder's seed) were grown in 1986. 53 acres of parent seedstock (foundation seed equivalent) were grown in 1987.

Exhibit B:

Variety 9501 most closely resembles the variety Egyptian. 9501 is susceptible to infestation of physiologic races 3 and 4 of the soybean Cyst Nematode (Heterodera glycines Ichinohe) whereas Egyptian is resistant. Also, 9501 is significantly taller than Egyptian by more than 5 inches (Table 1).

Exhibit E:

Pioneer Hi-Bred International, Inc. is the sole, original, and first breeder of soybean variety 9501, for which it solicits a certificate of protection.

Table 1. Paired Comparision (Height in inches) 1986-87

YR/EXP/LOC#	9501 (X ₁)	EGYPTIAN (X ₂)		$(X_1 - X_2)$	$(X_1 - X_2)^2$
86/UNA4L/63	42.0	39.3	<u> </u>	2.7	7.29
86/UNA4L/69	34.7	30.7	ĺ	4.0	16.00
86/UNA4L/76	43.0	36.3	İ	6.7	44.89
86/SEA4L/95	35.0	27.0	i	8.0	64.00
86/MLA4L/21	44.7	42.3	i	2.4	5.76
86/UNA4B5/63	43.3	40.7	d	2.6	6.76
86/UNA4B5/67	46.0	41.3	į	4.7	22.09
86/UNA4B5/76	40.7	36.3	ĺ	4.4	19.36
87/UNA4L/67	48.7	39.3	1	9.4	88.36
87/UNA4L/68	42.7	37.3	i	5.4	29.16
87/UNA4L/76	42.3	35.7	i	6.6	43.56
87/SEA4L/95	26.0	22.0	i	4.0	16.00
87/MLA4L/21	40.3	34.0		6.3	39.69
87/UNA4B5/63	44.7	38.7	Ì	6.0	36.00
87/UNA4B5/69	26.0	24.0	i	2.0	4.00
87/UNA4B5/76	43.3	37.3	j	6.0	36.00
TOTAL	643.4	562.2		81.2	478.92
MEAN	40.2	35.1	1	5.1	

n = 16

$$s = \frac{1}{d} = \sqrt{\frac{478.92 - [(81.2)^2/16]}{16(15)}} = 0.528$$

EXHIBIT C

U.S. DEPARTMENT OF AGRICULTURE AGRICULTURAL MARKETING SERVICE LIVESTOCK, MEAT, GRAIN & SEED DIVISION PLANT VARIETY PROTECTION OFFICE BELTSVILLE, MARYLAND 20705

OBJECTIVE DESCRIPTION OF VARIETY SOYBEAN (Glycine max L.)

NAME OF APPLICANT(S)	TEMPORARY DESIGNATION	VARIETY NAME
Pioneer Hi-Bred International, Inc.		9501
ADDRESS (Street and No., or R.F.D. No., City, State, and Zip Code	9)	FOR OFFICIAL USE ONLY
700 Capital Square	•	PVPO NUMBER
400 Locust Street		0000177
Des Moines, IA 50309		8800166
Choose the appropriate response which characterizes the various your answer is fewer than the number of boxes provided,	iety in the features described b place a zero in the first box wl	pelow. When the number of significant digits nen number is 9 or less (e.g., 0 9).
1. SEED SHAPE:	0	
1 = Spherical (L/W, L/T, and T/W ratios = < 1.2) 3 = Elongate (L/T ratio > 1.2; T/W = < 1.2)		L/W ratio > 1.2; L/T ratio = < 1.2) L/T ratio > 1.2; T/W > 1.2)
2. SEED COAT COLOR: (Mature Seed)		
1 = Yellow 2 = Green 3 = Brown	4 = Black 5 = Other f	Specify)
3. SEED COAT LUSTER: (Mature Hand Shelled Seed)		
2 1 = Dull ('Corsoy 79'; 'Braxton') 2 = Shiny ('Nebso	y';'Gasoy 17')	
4. SEED SIZE: (Mature Seed)		
1 5 Grams per 100 seeds	and the second s	
5. HILUM COLOR: (Mature Seed)		
6 1 = Buff 2 = Yellow 3 = Brown 4	= Gray 5 = Imperfect Blac	k 6 = Black 7 = Other (Specify)
6. COTYLEDON COLOR: (Mature Seed)		
1 = Yellow 2 = Green		
7. SEED PROTEIN PEROXIDASE ACTIVITY:	the state of the second	
1 = Low 2 = High		
8. SEED PROTEIN ELECTROPHORETIC BAND:		
1 = Type A (SP1 ^a) 2 = Type B (SP1 ^b)		
9. HYPOCOTYL COLOR:		
9, 1111 OCO 1 L COLON.		
2 1 = Green only ('Evans'; 'Davis') 2 = Green with 3 = Light Purple below cotyledons ('Beeson'; 'Pickett 71') 4 = Dark Purple extending to unifoliate leaves ('Hodgson'; 'C	bronze band below cotyledons (*W Coker Hampton 266A')	/oodworth'; 'Tracy')
D. LEAFLET SHAPE:		
2 1 = Lanceolate 2 = Ovat 3 = Ovate	4 = Other (Specify)	

FORM LMGS-470-57 (2-82)

11. LEAFLET SIZE:	Asset	
1 = Small ('Amsoy 71'; 'A5312') 3 = Large ('Crawford'; 'Tracy')	2 = Medium ('Corsoy 79'; 'Gasoy 17')	
		(x,y) = (x,y) + (y,y) = (y,y)
12. LEAF COLOR:		
1 = Light Green ('Weber'; 'York') 3 = Dark Green ('Gnome'; 'Tracy')	2 = Medium Green ('Corsoy 79'; 'Braxton')	
13. FLOWER COLOR:		
1 = White 2 = Purple	3 = White with purple throat	
14. POD COLOR:		
2 1 = Tan 2 = Brown	3 = Black	
15. PLANT PUBESCENCE COLOR:		
2 = Brown (Tawny)		
16. PLANT TYPES:	randra dun arror a la la la considerada de la considerada de la considerada de la considerada de la considerada Considerada de la considerada de la co	
1 = Slender ('Essex'; 'Amsoy 71') 3 = Bushy ('Gnome'; 'Govan')	2 = Intermediate ('Amcor'; 'Braxton')	
17. PLANT HABIT:	talinas karangan kembanas karangan kembanas di pengangan pengangan pengangan pengangan pengangan pengangan bel Pengangan pengangan	talian kan kan kan kan kan kan kan kan kan k
4-5	2 = Semi-Determinate ('Will')	
3 = Indeterminate ('Nebsoy'; 'Improved Pelic	an')	
	can')	
3 = Indeterminate ('Nebsoy'; 'Improved Pelic	an')	= IV 8 = V
3 = Indeterminate ('Nebsoy'; 'Improved Pelic 18. MATURITY GROUP: 0 8 1 = 000 2 = 00 3 = 0	4 = I 5 = II 6 = IH 7 12 = IX 13 = X	= IV 8 = V
3 = Indeterminate ('Nebsoy'; 'Improved Pelic 18. MATURITY GROUP: 0 8 1 = 000 2 = 00 3 = 0 9 = VI 10 = VII 11 = VIII 19. DISEASE REACTION: (Enter 0 = Not Tested; 1 = Sus BACTERIAL DISEASES:	4 = I	= IV 8 = V
3 = Indeterminate ('Nebsoy'; 'Improved Pelic 18. MATURITY GROUP: 0 8 1 = 000 2 = 00 3 = 0 9 = VI 10 = VII 11 = VIII 19. DISEASE REACTION: (Enter 0 = Not Tested; 1 = Sus BACTERIAL DISEASES: 2 Bacterial Pustule (Xanthomonas phaseoli var. 1	4 = I	= IV 8 = V
3 = Indeterminate ('Nebsoy'; 'Improved Pelic 18. MATURITY GROUP: 0 8 1 = 000 2 = 00 3 = 0 9 = VI 10 = VII 11 = VIII 19. DISEASE REACTION: (Enter 0 = Not Tested; 1 = Sus BACTERIAL DISEASES:	4 = I	= IV
3 = Indeterminate ('Nebsoy'; 'Improved Pelic 18. MATURITY GROUP: 0 8 1 = 000 2 = 00 3 = 0 9 = VI 10 = VII 11 = VIII 19. DISEASE REACTION: (Enter 0 = Not Tested; 1 = Sus BACTERIAL DISEASES: 2 Bacterial Pustule (Xanthomonas phaseoli var. 1	4 = I	= IV 8 = V
3 = Indeterminate ('Nebsoy'; 'Improved Pelic 18. MATURITY GROUP: 0 8 1 = 000 2 = 00 3 = 0 9 = VI 10 = VII 11 = VIII 19. DISEASE REACTION: (Enter 0 = Not Tested; 1 = Sus BACTERIAL DISEASES: 2 Bacterial Pustule (Xanthomonas phaseoli var. 3	4 = I	= IV
3 = Indeterminate ('Nebsoy'; 'Improved Pelic 18. MATURITY GROUP: 0 8 1 = 000 2 = 00 3 = 0 9 = VI 10 = VII 11 = VIII 19. DISEASE REACTION: (Enter 0 = Not Tested; 1 = Sus BACTERIAL DISEASES: 2 Bacterial Pustule (Xanthomonas phaseoli var. 3 0 Bacterial Blight (Pseudomonas glycinea) 2 Wildfire (Pseudomonas tabaci)	4 = I	= IV
3 = Indeterminate ('Nebsoy'; 'Improved Pelic 18. MATURITY GROUP: 0 8 1 = 000 2 = 00 3 = 0 9 = VI 10 = VII 11 = VIII 19. DISEASE REACTION: (Enter 0 = Not Tested; 1 = Sus BACTERIAL DISEASES: 2 Bacterial Pustule (Xanthomonas phaseoli var. 3 0 Bacterial Blight (Pseudomonas glycinea) 2 Wildfire (Pseudomonas tabaci) FUNGAL DISEASES:	4 = I	= IV
3 = Indeterminate ('Nebsoy'; 'Improved Pelic 18. MATURITY GROUP: 0 8 1 = 000 2 = 00 3 = 0 9 = VI 10 = VII 11 = VIII 19. DISEASE REACTION: (Enter 0 = Not Tested; 1 = Sus BACTERIAL DISEASES: 2 Bacterial Pustule (Xanthomonas phaseoli var. : 0 Bacterial Blight (Pseudomonas glycinea) 2 Wildfire (Pseudomonas tabaci) FUNGAL DISEASES: 0 Brown Spot (Septoria glycines)	4 = I	= IV 8 = V Other (Specify)
3 = Indeterminate ('Nebsoy'; 'Improved Pelic 18. MATURITY GROUP: 0 8 1 = 000 2 = 00 3 = 0 9 = VI 10 = VII 11 = VIII 19. DISEASE REACTION: (Enter 0 = Not Tested; 1 = Sus BACTERIAL DISEASES: 2 Bacterial Pustule (Xanthomonas phaseoli var. 1) 0 Bacterial Blight (Pseudomonas glycinea) 2 Wildfire (Pseudomonas tabaci) FUNGAL DISEASES: 0 Brown Spot (Septoria glycines) Frogeye Leaf Spot (Cercospora sojina) 0 Race 1 0 Race 2 0 Race	4 = I	
3 = Indeterminate ('Nebsoy'; 'Improved Pelic 18. MATURITY GROUP: 0 8 1 = 000 2 = 00 3 = 0 9 = VI 10 = VII 11 = VIII 19. DISEASE REACTION: (Enter 0 = Not Tested; 1 = Sus BACTERIAL DISEASES: 2 Bacterial Pustule (Xanthomonas phaseoli var. : 0 Bacterial Blight (Pseudomonas glycinea) 2 Wildfire (Pseudomonas tabaci) FUNGAL DISEASES: 0 Brown Spot (Septoria glycines) Frogeye Leaf Spot (Cercospora sojina) 0 Race 1 0 Race 2 0 Race 0 Target Spot (Corynespora cassiicola) Downy Mildew (Peronospora trifoliorum) var. m	3 0 Race 4 0 Race 5 RECEIVED nanshirteal AMS	
3 = Indeterminate ('Nebsoy'; 'Improved Pelic 18. MATURITY GROUP: 0 8 1 = 000 2 = 00 3 = 0 9 = VI 10 = VII 11 = VIII 19. DISEASE REACTION: (Enter 0 = Not Tested; 1 = Sus BACTERIAL DISEASES: 2 Bacterial Pustule (Xanthomonas phaseoli var. : 0 Bacterial Blight (Pseudomonas glycinea) 2 Wildfire (Pseudomonas tabaci) FUNGAL DISEASES: 0 Brown Spot (Septoria glycines) Frogeye Leaf Spot (Cercospora sojina) 0 Race 1 0 Race 2 0 Race 0 Target Spot (Corynespora cassiicola) Downy Mildew (Peronospora trifoliorum) var. m	4 = I	

FORM LMGS-470-57 (2-82)

	. Turner U = Not (ested; 1 = Suscept	Continue)		
FUNGAL DIS	EASES: (Continued)	W		•
Pod and	Stem Blight (Diaporthe phaseolorum var;)	sojae)		
1 Purple S	eed Stain (Cercospora kikuchii)		·	
0 Anizocto	onia Root Rot (Rhizoctonia solani)			
Phytoph	thora Rot (Phytophthora megasperma var.	sojee)		
1 Race 1	O Race 2 O Race 3	0 Race 4 0 Race	5 0 Race 6	0 Race 7
0 Race 8	O Race 9 Other (Spe			Mace /
VIRAL DISEAS				**
0 Bud Bligh	t (Tobacco Ringspot Virus)			
	osaic (Bean Yellow Mosaic Virus)			
	osaic (Cowpea Chlorotic Virus)			÷
O Pod Mottle	: (Bean Pod Mottle Virus)			
0 Seed Mottl	e (Soybean Mosaic Virus)			
NEMATODE DIS	EASES:			
Soybean C	st Nematode (Heterodera glycines)			•
0 Race 1	0 Race 2 1 Race 3	1 Race 4 Other (5	Specify)	
0 Lance Nem	atode (Hopiciaimus Colombus)			
	oot Knot Nematode (Melaidogyne incogni			
		(a)		
	oot Knot Nematode (Meloidogyne Hapla)			•
O Peanut Root	Knot Nematode (Meloidogyne arenaria)			
O Reniform Ne	matode (Rotylenchulus reniformis)			
OTHER DIS	EASE NOT ON FORM (Specify):		·	
4 51	SPONSES: {Enter 0 = Not Tested; 1 = Su	sceptible; 2 = Resistant)		
U Iron Chlorosis	s on Calcareous Soil			
Other (Specify	// <u> </u>			_
1. INSECT REACTION:	(Enter 0 = Not Tested; 1 = Susceptible; 2	= Resistant)		4 6.2.
ا م ا	Beetle (Epilachna varivestis)		en en water en	
	opper (Empoasca fabae)			
			90 May 10 20	
Other (Specify				·
Z. INDICATE WHICH VAI	RIETY MOST CLOSELY RESEMBLES T	HAT SUBMITTED.		
CHARACTER	NAME OF VARIETY	CHARACTER	NAME OF V	ARIETY
Plant Shape	Mitchell 450	Seed Coat Luster	Egyptiar	1
Leaf Shape	9471	Seed Size	Egyptiar	
Leaf Color	Egyptian	Seed Shape	Egyptiar	
1 4 0	0471		· · · · · · · · · · · · · · · · · · ·	
Leaf Size	9471	Seedling Pigmentation	Egyptian	

23. GIVE DATA FOR SUBMITTED AND SIMILAR STANDARD VARIETY: Paired Comparison Data

VARIETY	NO. OF DAYS	PLANT LODGING	CM PLANT	LEAFLET SIZE		SEED CONTENT		SEED SIZE	NO.
	MATURITY	SCORE	HEIGHT	CM Width	CM Length	% Protein	% Oil	SEEDS	SEEDS/ POD
9501 Submitted	125	2.1	102	_	-	-	-	15	_
Egyptian Name of Similar Variety	123	2.9	89		-		-	14	

PUBLICATIONS USEFUL AS REFERENCE AIDS FOR COMPLETING THIS FORM:

- 1. Caldwell, B.E., ed. 1973. Soybeans: Improvement, Production, and Uses. Amer. Soc. Agron. Monograph No. 16.
- 2. Buttery, B.R. and R.I. Buzzell. 1968. Peroxidase activity in seeds of soybean varieties. Crop Sci., 8: 722-725.
- 3. Hymowitz, T. 1973. Electrophoretic analysis of SBTI-A2 in the USDA soybean germplasm collection. Crop Sci., 13: 420-421.
- 4. Payne, R.C. and L.F. Morris. 1976. Differentiation of soybean cultivars by seedling pigmentation patterns. J. Seed Technol. 1: 1-19.

